

MultimatEasy



The Essential One

The Result of Inspiration

DENTSPLY

The Essential One

The Result of Inspiration

Only if we continuously improve our technology we will be able to keep our place among the best. This is why our developers keep improving our mature and time-proven line of furnaces to provide even better performance and simpler handling. The result: our Multimat Easy. Its technical specifications closely match your day-to-day lab processes. Its compact shape makes the furnace ideal for use in smaller labs, clinic labs or as an extra or backup furnace.



Display

The redesigned user interface is highly functional and shows all relevant information and options at a glance. The two-line display shows the data and messages essential for following the ceramic firing process.




Technology

State of the art: The proven quartz glass spiral muffle ensures homogeneous distribution of the heat inside the firing chamber. This benefits the firing results: reliable and consistent quality, reproducible at any time.



PCB

Current processor technology, high clock rates for fast reaction times, the latest in Sensor technology, integrated temperature control: All this makes the Multimat Easy even safer to use. The Multimat Easy can be updated to the latest software version via the USB port.



Dimensions

The Multimat Easy excites with its compact design and sensationally small footprint. Optionally, ergonomically shaped magnetic plates can be individually used to make more space available according to your needs.

Programming

One hundred memory storage locations facilitate easy administration of standard and custom ceramic firing programs. Three cooling levels are available for smooth ceramic temperature reduction.

Of course, changes to the cycle parameters can be made at any time, even during the firing process.

Safety

The Multimat Easy is equipped with a power failure backup that protects your settings in the event of a power outage during firing, allowing you to continue firing without compromising your objects.

In addition, you may save the parameters of your firing programs on a USB stick.

MultimatEasy

- Precise temperature control
- Compact design – small footprint
- Safe firing sequence, state-of-the-art technology
- Easy operation
- 100 programs
- Well-organized two-line display
- USB port for software updates and backups
- Maintenance-friendly

MultimatEasy

Height: approx. 605 mm
Width: approx. 278 mm
Depth: approx. 422 mm
Weight: approx. 22 kg

Voltage: 110 – 125 V
230 – 240 V
Frequency: 50 – 60 Hz
Power: 1,300 W (without pump)

Accessories: REF 54 6026 0100 Magnetic plate assy., bilateral (90°)
REF D 03 532 803 Silver calibration kit
REF D 03 002 220 VD Biodent vacuum pump

Technical specifications may change without notice